

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	579	((metadata or (meta adj data)) with server with direct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:33
L2	25	((metadata or (meta adj data)) with server with direct\$3) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:33
L3	4	((metadata or (meta adj data)) with server with direct\$3) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:35
L4	1	((metadata or (meta adj data)) with server with type) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
L5	0	((metadata or (meta adj data)) with server with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
L6	0	((metadata or (meta adj data)) with server with program with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
L7	0	((metadata or (meta adj data) or xml or tag) with server with program with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:37
L8	0	((metadata or (meta adj data) or xml or tag) with server with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38

EAST Search History

L9	179	((metadata or (meta adj data) or xml or tag) with rout\$3with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38
L10	0	((metadata or (meta adj data) or xml or tag) with rout\$3 with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38
L11	0	((metadata or (meta adj data) or xml or tag) with node with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:38
L12	1	((metadata or (meta adj data) or xml or tag) with movie with game) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:39
L13	16	((metadata or (meta adj data) or xml or tag) with rout\$3) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:51
L14	0	(rout\$ with movie with game with (server or node)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:52
L15	0	(rout\$ with movie with game with (server or node)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 08:52
L16	30	(rout\$ with content with (server or node)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 09:15

EAST Search History

L17	4	((distribut\$3 with (metadata or (meta adj data)) with (server or node)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:10
L18	2	((node or server) with (decod\$3 or pars\$3) with (metadata or (meta adj data))) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:16
L19	26	((node or server) with (decod\$3 or pars\$3) with (metadata or (meta adj data))) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:12
L20	24	19 not 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:12
L21	0	((distribut\$3) with (decod\$3 or pars\$3) with (metadata or (meta adj data))) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:17
L22	14	((decod\$3 or pars\$3) with (metadata or (meta adj data))) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:21
L23	0	((decod\$3 or pars\$3) with (metadata or (meta adj data))) same node) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:21
L24	5	((decod\$3 or pars\$3) with (metadata or (meta adj data))) same server) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:23

EAST Search History

L25	6	((((decod\$3 or pars\$3) with (tag)) same (server or node)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:26
L26	1	((decod\$3 or pars\$3) with (tag) with destination) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:27
L27	1	((decod\$3 or pars\$3) with (metadata or (meta adj data) or tag) with destination) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:27
L28	2	((metadata or (meta adj data) or tag) with (destination near3 (server or node))) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:37
L29	2	("5434978").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/23 12:29
L30	16	((metadata or (meta adj data) or tag) with (path)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:37
L31	0	((metadata or (meta adj data) or tag) with (path) with (node or server)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 12:38
L32	1	((((metadata or (meta adj data) or tag) with (path)) same (node or server)) and "725"/\$.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43

EAST Search History

L33	0	(staging adj server) and "725"/32-36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
L34	0	(staging near3 server) and "725"/32-36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
L35	0	(staging near3 node) and "725"/32-36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:43
L36	1	(staging) and "725"/32-36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:45
L37	72	"725"/36.ccls. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:45
L38	5	"725"/36.ccls. and @ad<"20010123" and ((metadata or (meta adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:46
L39	1	"725"/36.ccls. and @ad<"20010123" and ((metadata or (meta adj data))) with (server or node))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 14:46
S1	4	((decod\$3 or interpret\$4) near3 (metadata or (meta adj data))) same (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 15:05

EAST Search History

S2	41	((decod\$3 or interpret\$4) near3 (metadata or (meta adj data))) and (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 14:58
S3	353	(content with (metadata or (meta adj data))) and (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 14:59
S4	61	(content with (metadata or (meta adj data))) same (headend or (head adj end))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 14:58
S5	21	(content with (metadata or (meta adj data))) and (headend or (head adj end)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:04
S6	0	(content with (metadata or (meta adj data))) and ((headend or (head adj end)) same (staging adj area))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:05
S7	0	(content with (metadata or (meta adj data))) and (headend or (head adj end)) same (staging adj area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:18
S8	3	(content with (metadata or (meta adj data))) and (headend or (head adj end)) and (staging adj area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:05
S9	3	(headend or (head adj end)) same (staging adj area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:19

EAST Search History

S10	5	(headend or (head adj end)) same (staging adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/21 15:19
S11	5	(staging adj server) with distribute with content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 15:20
S12	218	(staging adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 15:20
S13	71	(staging adj server) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 15:24
S14	19	(staging adj server) and @ad<"20010123" and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 15:31
S15	566	(metadata or (meta adj data)) same ((decid\$3 or select\$3) with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 15:32
S16	130	(metadata or (meta adj data)) with ((decid\$3 or select\$3) near3 server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 15:33
S17	17	((metadata or (meta adj data)) with ((decid\$3 or select\$3) near3 server)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/22 15:33

EAST Search History

S18	75	(nested near3 (content or asset)) and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:36
S19	2	(nested near3 (asset)) and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:34
S20	27	(nested near3 (content or asset)) and (television or tv or catv) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:37
S21	5	(recursive near3 (content or asset)) and (television or tv or catv) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:44
S22	0	xml with indentify\$3 with content with (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:45
S23	0	xml with indentify with content with (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:45
S24	383	xml with content with (metadata or (meta adj data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:45
S25	65	(xml with content with (metadata or (meta adj data))) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:46

EAST Search History

S26	49	(xml with content with (metadata or (meta adj data))) and @ad<"20010123" and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:47
S27	0	((xml with content with (metadata or (meta adj data))) same (video or mpeg)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 08:48
S28	13	((xml with (metadata or (meta adj data))) same (video or mpeg)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 09:16
S29	4	"10053867"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:06
S30	0	(metadata or (meta adj data)) with indentify\$3 with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:08
S31	0	(metadata or (meta adj data)) same indentify\$3 same server same (video or mpeg)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:07
S32	0	(metadata or (meta adj data)) same indentify\$3 same server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:08
S33	825	(metadata or (meta adj data)) same indentify\$3 same server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:08

EAST Search History

S34	310	(metadata or (meta adj data)) with identify\$3 with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:09
S35	3	(metadata or (meta adj data)) with identify\$3 with server with origin\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:09
S36	49	(metadata or (meta adj data)) with identify\$3 with server with content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:36
S37	1411	(identify\$3 with source with server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:37
S38	0	(identify\$3 with source with server) same (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:38
S39	20	(identify\$3 with source with server) and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:49
S40	206	(ftp or (file adj transfer adj protocol)) and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 10:49
S41	52	(ftp or (file adj transfer adj protocol)) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:23

EAST Search History

S42	257	(user with (setting or specify\$3) with rules with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:25
S43	52	(user with (setting or specify\$3) with rules with content) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:26
S44	0	(user with (setting or specify\$3) with rules with content) and @ad<"20010123" and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:27
S45	1	((setting or specify\$3) with rules with content) and @ad<"20010123" and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:26
S46	25	(user with (setting or specify\$3) with rules with content) and @ad<"20010123" and (television or tv or catv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:38
S47	9	(receiv\$3 with (metadata or (meta adj data)) with prior with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:39
S48	149	((metadata or (meta adj data)) with prior with content)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:39
S49	0	((metadata or (meta adj data)) with prior with content) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:40

EAST Search History

S50	0	((metadata or (meta adj data)) with before with content) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:40
S51	0	((metadata or (meta adj data)) near3 (prior or before)) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:40
S52	7	((metadata or (meta adj data)) with (prior or before)) and (vod or nvod) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:48
S53	47	((metadata or (meta adj data)) with (database or (data adj base)) with content) and (vod or nvod)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 11:48
S54	230	(725/91).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/30 15:05
S55	538	peyton.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:45
S56	0	peyton.in. and (local adj server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:45
S57	14	peyton.in. and (server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:46

EAST Search History

S58	3	peyton.in. and (preference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:47
S59	15	peyton.in. and (rule)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:48
S60	59	peyton.in. and (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:51
S61	257	((user with specify with (rule or preference)) same (distribut\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:52
S62	76	((user with specify with (rule or preference)) same (distribut\$3 or transfer\$4)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:52
S63	28	((user with specify with (rule or preference)) same ((distribut\$3 or transfer\$4) with content)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:54
S64	7	((user with specify with (rule or preference)) same ((distribut\$3 or transfer\$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:54
S65	0	((user with set with (rule or preference)) same ((distribut\$3 or transfer\$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:55

EAST Search History

S66	13	((user with (rule or preference)) same ((distribut\$3 or transfer\$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 12:56
S67	3	((subscriber with (rule or preference)) same ((distribut\$3 or transfer\$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:03
S68	27	((survey)) same ((distribut\$3 or transfer\$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:04
S69	0	((questionnaire)) same ((distribut\$3 or transfer\$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:04
S70	0	((questionnaire)) same ((distribut\$3 or transfer\$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:04
S71	9	((question)) same ((distribut\$3 or transfer\$4) with movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:07
S72	565	herz.in. and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:07
S73	19	herz.in. and @ad<"20010123" and preference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:08

EAST Search History

S74	2	herz.in. and @ad<"20010123" and (preference same survey)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 13:08
S75	2532	(725/86-104).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/29 08:13
S76	14	S75 and ((metadata or (meta adj data)) with (combin\$3 or embed\$4) with (content or movie))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:15
S77	57	"725"/\$.ccls. and ((metadata or (meta adj data)) with (combin\$3 or embed\$4) with (content or movie))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:15
S78	3	"725"/\$.ccls. and ((metadata or (meta adj data)) with (combin\$3 or embed\$4) with (content or movie)) and @ad<"20010123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/29 08:16